

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| -        | 8385  | ((400/61-63) or (400/70) or (400/76) or (358/1.9) or (358/2.1) or (358/2.99-3.02) or (358/3.1)).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:29 |
| -        | 455   | print\$4 same densitometer same density same control\$4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:30 |
| -        | 93069 | ((("400") or ("358"))).CLAS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 16:25 |
| -        | 7     | ((400/61-63) or (400/70) or (400/76) or (358/1.9) or (358/2.1) or (358/2.99-3.02) or (358/3.1)).CCLS.) and (print\$4 same densitometer same density same control\$4 same read\$4)                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 20:29 |
| -        | 55    | (print\$4 same densitometer same density same control\$4) and (((("400") or ("358"))).CLAS.)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 20:31 |
| -        | 16    | ("3970393"   "4706206"   "5198910"   "5283140"   "5347369"   "5369499"   "5400147"   "5426519"   "5499305"   "5502550"   "5805178"   "5844965"   "5919390"   "5924426"   "6008907"   "6034711").PN. | USPAT   | 2004/05/11 20:38 |
| -        | 4     | print\$4 same density same control\$4 same adjust\$5 same (read\$4 near2 unit) same measure\$5 same data  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 20:45 |
| -        | 5     | (paper medium media sheet) same print\$4 same (density near2 adjust\$5) same control\$4 same measure\$5 same data   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 20:48 |
| -        | 5     | densitometer same print\$4 same (density adj2 adjust\$5) same control\$4 same measure\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 20:51 |
| -        | 30    | control\$4 same print\$4 same (density adj2 adjust\$5) same measure\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 15:45 |
| -        | 53    | (paper medium media sheet) same print\$4 same density same control\$4 same adjust\$5 same measure\$5 same data  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 21:01 |
| -        | 21    | ((400/61-63) or (400/70) or (400/76) or (358/1.9) or (358/2.1) or (358/2.99-3.02) or (358/3.1)).CCLS.) and (print\$4 same densitometer same density same control\$4)                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/11 21:01 |
| -        | 97    | adjust\$4 same print\$4 same densitometer same density same control\$4  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 15:47 |
| -        | 93    | printing and printer\$1 and control\$4 and (density with adjust\$5 with measure\$5) and densitometer  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 15:56 |

|       |   |   |                  |
|-------|---|---|------------------|
| 8     | plurality with printer\$1 same density same densitometer same control\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 15:59 |
| 37    | density same densitometer same control\$5 same (adjust\$5 correct\$3) same print\$4 same (data information)                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 16:04 |
| 115   | print\$4 same densitometer same density same control\$4 same read\$4  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 16:23 |
| 93176 | ((("400") or ("358"))).CLAS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 16:25 |
| 233   | (densitometer same density) and controller and controlling and printer\$1 and printing and print\$1                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 16:27 |
| 18    | printer\$1 and printing and print\$1 and (densitometer same density same control\$4) and (read\$4 near2 unit)                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 16:27 |
| 55    | ((("400") or ("358"))).CLAS.) and ((densitometer same density) and controller and controlling and printer\$1 and printing and print\$1) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:01 |
| 23    | densitometer and printer\$1 and (controller same controlling same density same (adjust\$5 correct\$5))                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:04 |
| 45    | printer\$1 and (controller same controlling same density same (adjust\$5 correct\$5) same (read\$4 measur\$5))                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:06 |
| 791   | printer\$1 same density same densitometer   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:18 |
| 67    | ((("400") or ("358"))).CLAS.) and (printer\$1 same density same densitometer)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:07 |
| 8     | ("4792518"   "4806986"   "5300381"   "5521723"   "5528339"   "5840470"   "5920680"   "5930002").PN.                                     | USPAT   | 2004/05/24 17:09 |
| 2     | printer\$1 same density same densitometer same controller same controlling  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:12 |
| 465   | (density same densitometer same control\$4) and printer\$1 and printing   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:12 |

|   |       |  |   |                  |
|---|-------|--|---|------------------|
| - | 62    | ((("400") or ("358")).CLAS.) and ((density same densitometer same control\$4) and printer\$1 and printing)                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:13 |
| - | 149   | measur\$5 same adjust\$6 same print\$4 same density same densitometer  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/24 17:19 |
| - | 13    | plurality near printer\$1 same control\$4 and density and densitometer   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:16 |
| - | 5     | (measur\$5 determ\$5) same (plurality near printer\$1) same control\$4 same densit\$6  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:19 |
| - | 239   | (measur\$5 determ\$5) same (head (print\$3 adj head)) same printer\$1 same control\$4 same densit\$6                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:20 |
| - | 30    | adjust\$5 same (measur\$5 determ\$5) same (head (print\$3 adj head)) same printer\$1 same control\$4 same densit\$6                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:20 |
| - | 93206 | ((("400") or ("358")).CLAS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:29 |
| - | 453   | printer\$1 same densitometer same density and control\$4 and (read\$3 scan\$4)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:31 |
| - | 56    | printer\$1 same densitometer same density same control\$4 same (read\$3 scan\$4)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:31 |
| - | 56    | ((measur\$5 determ\$5) same (head (print\$3 adj head)) same printer\$1 same control\$4 same densit\$6 ) and ((("400") or ("358")).CLAS.) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:41 |
| - | 59    | ((("400") or ("358")).CLAS.) and (printer\$1 same densitometer same density and control\$4 and (read\$3 scan\$4))                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 14:42 |
| - | 108   | print\$4 same density same control\$4 same adjust\$5 same measure\$5 same data   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 17:42 |
| - | 315   | control\$5 same densitometer same printer\$1   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 18:08 |
| - | 721   | adjust\$5 same control\$5 same density same printer\$1   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 18:26 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 215 | adjust\$5 same (read\$3 scan\$4) same<br>control\$5 same density same printer\$1   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 18:41 |
| - | 29  | (colorimeter densitometer) same adjust\$5<br>same control\$5 same density same printer\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 18:27 |
| - | 16  | ("3970393"   "4706206"   "5198910"  <br>"5283140"   "5347369"   "5369499"  <br>"5400147"   "5426519"   "5499305"  <br>"5502550"   "5805178"   "5844965"  <br>"5919390"   "5924426"   "6008907"  <br>"6034711").PN. | USPAT   | 2004/05/25 18:28 |
| - | 5   | ("4310248"   "5313291"   "5539540"  <br>"5638117"   "5721623").PN.   | USPAT   | 2004/05/25 18:29 |
| - | 10  | 6008907.URPN.  | USPAT   | 2004/05/25 18:29 |
| - | 8   | ("4792518"   "4806986"   "5300381"  <br>"5521723"   "5528339"   "5840470"  <br>"5920680"   "5930002").PN.  | USPAT   | 2004/05/25 18:34 |
| - | 141 | adjust\$5 same densitometer same (read\$3<br>scan\$4) same control\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/25 18:42 |